

E1 Zoom

5MP PTZ Wi-Fi Indoor Camera with Auto Tracking

- 5MP Super HD
- 2.4/5 GHz WiFi
- Pan, Tilt & Zoom

Specifications

Hardware Features	
Image Sensor	1/2.7" CMOS Sensor
Display Resolution	2560x1920 (5 Megapixels)
Lens	f=2.8-8mm Autofocus, F=1.6, with IR Cut
Optical Zoom	3X
Angle of View	• Horizontal: 48° - 98° • Vertical: 37° - 75°
Pan/Tilt Angle	• Horizontal: 355° • Vertical: 50°
Auto Tracking	Available
Minimum Illumination	0 Lux (with IR Illuminator)
IR Distance	12m (40ft) (LED: 10pcs/14mil/850nm)
Dimension	Φ80x111mm
Weight	250g
Power Input	DC 5.0V/2A


Interface	• Power • Micro SD Card Slot (Max. 256GB) • Built-in Microphone and Speaker • Reset Button
Software Features	
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
Image Compression	H.264
Maximal Frame Rate	20fps
Code Rate	1024Kbps ~ 4096Kbps (Default: 4096Kbps)
Audio	Two-Way Audio
Maximal User Access	20 Users (1 admin account & 19 user accounts); Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
Browser Supported	Edge, Chrome, Firefox, Safari
Smart Alarm	Motion Detection/Person Detection/Pet Detection
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Record Mode	Motion Recording; Scheduled Recording; 24/7 Recording
Alarm	Siren (customizable)
Works with	Google Assistant; Reolink Cloud (available in some countries)
Wireless Features	
Wireless Standard	IEEE 802.11a/b/g/n
Operating Frequency	2.4/5 GHz
Wireless Security	WPA-PSK/WPA2-PSK
Other Parameters	
Temperature	• Operating Temperature: -10°C~+55°C • Storage Temperature: -40°C~70°C

Humidity	• Operating Humidity: 20% ~ 85% • Storage Humidity: 10% ~ 90%
Waterproof	No
Warranty	
Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/

Gallery & Specs



- 1. Daylight Sensor
- 2. 10 IR LEDs
- 3. Lens
- 4. Status LED
- 5. Built-In Mic
- 6. Reset Button
- 7. Micro SD Card Slot



- 1. Speaker
- 2. Power